

SECTION 1: IDENTIFICATION

Product Trade Name:

me: CRYSTALCLEAR[®] SPARKLE[™]

MANUFACTURER/IMPORTER/SUPPLIER/DISTRIBUTOR INFORMATION:

COMPANY NAME: COMPANY ADDRESS: Airmax[®], Inc.

Romeo, Michigan 48065

Poison Control 800-222-1222

Office hours (Mon - Fri) 9:00 am to 5:00 pm (866) 424-7629

P.O. Box 38,

Main Office

COMPANY TELEPHONE:

COMPANY CONTACT NAME:

EMERGENCY PHONE NUMBER:

SECTION 2: HAZARD(S) IDENTIFICATION

CLASSIFICATION: Not classified under GHS.

LABELING

SYMBOL: SIGNAL WORD: Warning **GHS HAZARD STATEMENT:** H302 Harmful if swallowed H320 Causes eye irritation H332 Harmful if inhaled **GHS PRECAUTIONARY STATEMENTS:** P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash face, hands, and any exposed skin thoroughly after handling P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area P312 Call a POISON CENTER or doctor/physician if you feel unwell P330 Rinse mouth P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing P337+P313 If eye irritation persists get medical advice/attention P501 Dispose of contents/container in accordance with local/regional/ national/ international regulations

SECTION 3: COMPOSITION/ INFORMATION ON INGREDIENTS

CHEMICAL NAME Proprietary 80 to 90%	OSHA EXPOSURE LI	IMITS	ACGIH EXPOSURE LIMITS	OTHER EXPOSURE LIMITS
SECTION 4: FIRST AID MEASURES				
	INHALATION:	fresh air. If n Keep victim	ot breathing, give artificial resp	tive gear. Remove from area of exposure to biration. If breathing is difficult, give oxygen. adverse health effects persist or are severe. ees .
	SKIN CONTACT:		attention if symptoms occur. V	aminated skin with plenty of water. Vash clothing separately and clean shoes
	EYE CONTACT:			yes with water for a minimum of 15 minutes, Get medical attention if irritation persists.
	INGESTION:	If swallowed	, do NOT induce vomiting. Give	e victim a glass of water. Call a physician or pive anything by mouth to an unconscious

Date: 09-17-2015



SECTION 5: FIRE AND EXPLOSION DATA

EXTINGUISHING MEDIA: SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	Use an extinguishing agent suitable for the surrounding fire. In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway.
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:	As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK PROCEDURES:

SMALL SPILLS:For small spills, take up material with an absorbent such as clay or sand and dispose of
properly. Flush area with water to remove trace residue.LARGE SPILLS:Wear protective clothing as appropriate. Shut off source of leak if it is safe to do so.
Dike and contain spilled material. Soak up residue with an absorbent such as clay, sand
or other suitable material. Collect in suitable and properly label containers for disposal.
Flush area with water to remove trace residue.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area food and drink. Keep container tightly closed and sealed until ready for use.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE LIMITS:

CHEMICAL NAME / CAS # Proprietary	OSHA EXPOSURE LI	IMITS	ACGIH EXPOSURE LIMITS	OTHER EXPOSURE LIMITS
	ENGINEERING CONTROLS:	other eng		ess enclosures, local exhaust ventilation or kposure to airborne contaminants below any
	RESPIRATORY PROTECTION:	•		OSHA 1910.134 and ANSI Z88.2 orkplace conditions warrant the use of
	EYE PROTECTION: SKIN PROTECTION:		ty glasses with side shields (or gogg ervious protective gloves. Wear pro	gles) and a face shield . tective gear as needed - apron, suit, boots .
ОТН	IER PROTECTIVE EQUIPMENT:	Facilities s a safety sh	5 5	uld be equipped with an eyewash facility and
	HYGIENIC PRACTICES:	Remove c		is material is used. Avoid breathing vapors. fore reuse. Wash thoroughly after handling.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear, pale yellow	
ODOR: Mild		
ODOR THRESHOLD:	Unknown	
PH:	6.0 to 8.0	
FLASHPOINT:	> 100°C (> 212°F)	

Airmax[°] Inc. www.airmaxeco.com



AUTO IGNITION TEMPERATURE:	U
FLAMMABILITY:	U
EXPLOSIVE LIMITS:	U
BOILING RANGE:	>
MELTING POINT:	<
FREEZING POINT:	U
SPECIFIC GRAVITY:	U
DENSITY:	1.
VAPOR PRESSURE:	U
VAPOR DENSITY:	U
EVAPORATION RATE:	U
VISCOSITY:	12
SOLUBILITY:	Ea
GRAMS VOC LESS WATER:	U
DECOMPOSITION TEMPERATURE:	U

Unknown Unknown > 100°C (> 212°F) < 0°C (< 32°F) Unknown Unknown 1.13 to 1.16 Unknown Unknown 125 mPa-s (125 cP) Easily soluble Unknown Unknown

SECTION 10: STABILITY AND REACTIVITY

 CHEMICAL STABILITY:
 STABLE

 INCOMPATIBLE MATERIALS:
 No data available.

 CONDITIONS TO AVOID:
 No data available.

 HAZARDOUS DECOMPOSITION PRODUCTS:
 Carbon dioxide, carbon monoxide, nitrogen oxides, halogenated compounds.

 HAZARDOUS POLYMERIZATION:
 Hazardous polymerization will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

MIXTURE TOXICITY: COMPONENT TOXICITY: ROUTES OF ENTRY: TARGET ORGANS: EFFECTS OF OVEREXPOSURE:	Oral Toxicity LD50: 1,951mg/kg Dermal Toxicity LD50: 2,000mg/kg Inhalation Toxicity LC50: 3mg/L N/A Inhalation, Ingestion,Skin contact, Eye contact N/A N/A
HEALTH EFFECTS- EYE CONTACT: INHALATION: SKIN CONTACT: INGESTION:	May cause eye irritation, wattering, redness. Harmful if inhaled. No known significant effects or critical hazards . Harmful if swallowed.
GHS CARCINOGENICITY: DESCRIPTION	Not classified as a carcinogen per GHS criteria. This product is not classified as a carcinogen by NTP, IARC, or OSHA. % WEIGHT CARCINOGEN RATING

SECTION 12: ECOLOGICAL INFORMATION

COMPONENT ECOTOXICITY: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

CAS NUMBER

Dispose of in accordance with local, state and federal regulations.

SECTION 14: TRANSPORTATION AND SHIPPING INFORMATION

Refer to Bill of Lading or container label for DOT or other transportation hazard classification, if any .



SECTION 15: REGULATORY INFORMATION N/A COUNTRY REGULATION ALL COMPONENTS LISTED

SECTION 16: OTHER INFORMATION

KEEP OUT OF REACH OF CHILDREN

Although the information and recommendations set forth in this sheet are believed to be correct as of the date hereof, Airmax[®], Inc. makes no representation as to the completeness or accuracy of such information and recommendations. Airmax[®], Inc. shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon such information and recommendations. You are encouraged to advise anyone working with or exposed to such products of the information contained herein. No warranty, either express or implied, of merchantability or fitness or of any other nature with respect to the product or to the information and recommendations herein made hereunder.